

Headlight Renew Doctor.com



- Shop Re-Order Kit effectively “renews” 40+ sets of headlights!
- Costing less than \$6.50 per application for product!
- With a tech’s ½ labor costing less than \$18 per service!
- Service Retailing from..... \$79.95 to \$199.95 per unit!
- Producing REVENUES from..... \$3,200 - \$8,000!
- Producing..... 800%-1200% Profits in less than 15 minutes!

Go to: www.headlightrenewdoctor.com to view 6 minute instructional video!

Headlight Renew Doctor.com



Shop Re-Order Kit Contents:

Re-Order Kit will replenish Shop Kit to **“renew over 40+”** sets of headlights!

1. 2 - cans of UV Ray Sealant
2. 2 - 6” paper rolls
3. 3 - rolls 1” tape
4. 20 sanding blocks
10 sheets of medium grit sandpaper
5 sheets of fine grit sandpaper
5. 1 dust rag
6. 1 tack rag
7. Step-by-Step Instructional Sheet

Go to: www.headlightrenewdoctor.com to view 6 minute instructional video

Headlight Renew Doctor.com

go to www.headlightrenewdoctor.com click on: to view "6" Minute Instructional Video" to view process!

Patent Pending NEW Step by Step Instructions

Step #1

With the 6" paper and tape, cover-up all around the headlight area. Tape down the edges of paper so the wind cannot blow paper around. Apply 2 layer of tape around headlight for added protection.



Step #2

First take the sanding block, sanding the entire surface of the headlight. Some headlights will just have a "yellow layer," others will have a "cloudy layer." Both layers must be completely sanded off in this process. Then take 600 grit sandpaper, sanding the entire headlight surface smooth until "balling-up" on sandpaper no longer happens. Then take the 1000 grit sandpaper, apply water on sand paper only, sand entire headlight smooth.



Step #3

Take the white rag, clean entire headlight surface of dust, then take the "blue" Tack Rag, pressing lightly, dust-off the headlight surface.

Step #4

Next take the "Headlight Renew" spray can from your box and *shake* for 3-4 minutes. Using the spray can, spray an evenly 1st-coat over entire headlight surface. Allow to dry approx. 2-3 minutes.* Then apply a 2nd gloss-coat evenly over entire surface. (Practice spraying before applying to Headlight. Also refer to Instruction video for Spraying application!)

**If a "cloudiness" appears in spray, use a hairdryer/heatgun and apply hot-air on headlight for 30 seconds, and "cloudiness" will disappear!*



Proceed to the other headlight and repeat process beginning with step # 1. Allow both headlights to let dry for about 5 minutes, and then remove all tape and paper carefully from your automobile using caution not to touch headlights. 1st coat is a semi-gloss coat, 2nd coat is the gloss-coat for best results!

Headlight Renew Doctor.com

You will see results immediately!
Your headlights look like new!
Restores night-time visibility!
Sales or Info: 1.888.645.4847

